



## S10 - VERSASENSE LIGHT SENSOR

### PRODUCT DESCRIPTION

The VersaSense Light Sensor (**S10**) detects the level of ambient light in lumens.

### VERSASENSE SENSORS

VersaSense Sensors are self-identifying sensors and actuators that connect to VersaSense Wireless Devices to provide plug-and-play sensing and control.

The VersaSense software automatically installs and configures all drivers, eliminating the cost and complexity of deploying an IoT network.

**Note:** only one peripheral of this type may be connected to a VersaSense Wireless Device.

### APPLICATIONS

The light sensor supports environmental sensing. Applications include:

- ★ Workplace monitoring
- ★ Monitoring of animal enclosures
- ★ Smart lighting systems
- ★ Weather monitoring systems
- ★ Monitoring compliance with perishable goods storage

### CORE COMPONENTS

The **S10** is based on the VEML6040 from Vishay®, for more information please visit:

[Vishay\\_VEML6040.pdf](#)

### S10 CHARACTERISTICS

Characteristic	Value	Unit
Min/Max light intensity	0/16496	lx
Min/Max temperature	-40/85	°C
Accuracy light intensity	+/- 0.01	lx
Min/Max period between updates	10 / 86400	s
Avg current: period = 1hour	42	nA
Avg current: period = 60s	2.5	µA
Avg current: period = 10s	15	µA

**Note:** avg current values represent the current that this sensor draws from a VersaSense Wireless Device that is configured with the noted update period. This value excludes message transmission.

### RELATED PRODUCTS

Item **S10** requires a VersaSense Wireless Device such as **Pxx** or **Lxx**. This item is compatible with all items in the VersaSense catalog:

[VersaSense-Catalog.pdf](#)

### INFORMATION/SUPPORT

Web: [www.versasense.com](http://www.versasense.com)

Sales: [sales@versasense.com](mailto:sales@versasense.com)

Help: [support@versasense.com](mailto:support@versasense.com)

Other: [info@versasense.com](mailto:info@versasense.com)

Post: VersaSense NV, Kapeldreef 60, 3001 Leuven, Belgium.